



**Resources
Regulator**

FWP0001891

BROULA MAGNETITE AND LIMESTONE MINE FORWARD PROGRAM

Tuesday 31 March 2026 to Friday 30 March 2029

Summary

Detail	
Mine	Broula Magnetite and Limestone Mine
Reference	FWP0001891
Forward program commencement date	Tuesday 31 March 2026
Forward program end date	Friday 30 March 2029
Forward program revision (if applicable)	
Contact	Scott Hollamby
Mining leases	ML 1616 (1992)
Project location	Australian Magnetite Mines Pty Ltd
Date of submission	Friday 29 May 2026
Document URL	https://karawara.com.au/broula-magnetite-mine/
Security reminder: Please exercise caution before opening external links. If a link appears suspicious, avoid clicking it and report it to the Resources Regulator.	

Important

The department may make the information in your program and any supporting information available for inspection by members of the public, including by publication on its website or by displaying the information at any of its offices. If you consider any part of your program to be confidential, please communicate this to the department via the message function on this submission within the Resources Regulator Portal.

Three-year forecast - surface disturbance activities

Project description

The Mine Site consists of approximately 33.91ha of land coinciding with the boundary of ML1616 located ~19km west-southwest of Cowra. The approved activities under DA 14/2007 include mining, processing and transportation of magnetite, limestone and haematite. Recovery, processing and sale of extractive material is also permitted. In addition, the following activities are approved within the Mine Site. Land preparation including vegetation clearing, topsoil stripping and removal and placement of waste rock. Drill and blast methods or use of surface miner for extraction of the ore and waste rock from the open cut. Progressive formation and rehabilitation of the waste rock emplacement. Construction of surface infrastructure including access roads, buildings and amenities, and water management structure such as dams and erosion and sediment controls as required. Importation of VENM/ENM if required. Approved hours of operation are from 7:00am to 8:00pm Monday to Friday.

Description of surface disturbance activities

Exploration activities

No exploration activities are scheduled to occur within the Mine Site during the next three year period.

Construction activities

Construction during the next 3 year period is expected to include construction of a modular processing plant and progressive construction/shaping of the waste dump with waste material and fines. It is noted that timing for recommencement of operations

remains to be confirmed.

Mining schedule

Mining development method and sequencing and general mine features.

The Company may recommence operations during Year 1 of this Forward Program period, subject to commercial arrangements. All operations will be undertaken as described within the development consent (DA14/2007) including associated documents and subsequent modifications. Approved mining operations will include recovery and processing of magnetite from the waste rock emplacements and extraction of ore and waste rock from the open cut through drill and blast and/or a surface miner. Dewatering of the pit will occur to allow mining within the existing open cut formed during previous operations.

Areas identified for emplacements, the sequencing of emplacements, construction, and management.

Overburden extracted from the open cut and material unsuitable for sale has previously been placed within the approved waste rock emplacement. The existing emplacement will continue to be utilised when operations recommence with development commencing within the northern part of the emplacement and progressing to the east and south.

Processing infrastructure activities and the location of tailings facilities and schedule for emplacement.

The approved processing plant will be re-established, including primary and secondary crushing and magnetic separators. There are no tailings areas or facilities at the Mine with separated fines not suitable for sale placed within the waste rock emplacement.

Waste disposal and materials handling operations.

Non-production wastes may include: • greases, oils, filters, tyres and batteries from maintenance of vehicles and equipment; • bulk scrap metal and plastics from discarded equipment; • general office wastes, e.g. paper; • general waste generated by employees – e.g. food

scraps, paper, cardboard, aluminium and steel cans; and • wastewater from ablution facilities. All hydrocarbon wastes will typically be stored in 205L drums or a 1 000L bulk storage container within a bunded area until collected by a licensed contractor. Worn tyres and spent batteries will be temporarily stored and removed from site regularly. Recyclables including paper, cardboard, aluminium and steel will be stored separately in mobile garbage bins or skips and collected regularly by a licenced contractor or removed to a licenced facility for recycling. General waste material will be collected and removed by a licenced contractor to a licensed landfill facility. All wastewater generated on the site will be treated through an approved on-site waste water treatment system and used for the maintenance of a landscaped area. Alternatively waste water will be managed through a pump out system serviced by a licenced contractor.

Key production milestones

MATERIAL		UNIT	YEAR 1		YEAR 2		YEAR 3	
Stripped topsoil (if applicable)		(m ³)	0		0		0	
Rock/overburden		(m ³)	0		0		0	
Ore		(Mt)	0		0		0	
Reject material ¹		(Mt)	0		0		0	
Product		(Mt)	0		0		0	

BROULA MAGNETITE AND LIMESTONE MINE FORWARD PROGRAM

FWP0001891 | Tuesday 31 March 2026 to Friday 30 March 2029

Resources Regulator

¹This includes coarse rejects, tailings and any other wastes resulting from beneficiation.

Three-year rehabilitation forecast

Rehabilitation planning schedule

Rehabilitation planning schedule

As part of the Rehabilitation Risk Assessment a potential for a shortfall of growth medium has been identified. Volumes of available growth medium will be determined following recommencement of operations during which existing soil material will be recovered from overburden stockpiles together with any fine or weathered material suitable as a growth medium. Testing of the growth medium to identify any required ameliorants may also be undertaken and, if required or available, suitable VENM/ENM may be attracted to site to supplement on-site growth mediums. Other rehabilitation planning activities will involve planning cut and fill volumes for placement of waste rock and progressive finalisation of sections of the waste rock emplacement landform.

Stakeholder consultation

Ongoing consultation with the Resources Regulator will be undertaken in relation to the status of mine recommencement activities.

Rehabilitation studies, risk assessments and/or design work

A review of the Rehabilitation Risk Assessment will be undertaken following engagement of the rehabilitation contractor (focusing upon growth medium and vegetation establishment risks). No additional studies or design work is expected to be completed with regard to the final landform over the next three-year period.

Rehabilitation research and trials

RRT NUMBER	PROJECT/TRIAL NAME	OBJECTIVE OF TRIAL/PROJECT	METHODOLOGY	EXPECTED DATE OF COMPLETION	STATUS
---------------	--------------------	----------------------------	-------------	--------------------------------	--------

Rehabilitation maintenance and corrective actions

No rehabilitation maintenance or corrective actions have been identified to date. Appropriate implementation of erosion and sediment controls will be undertaken prior to commencing ground-disturbing activities.

Rehabilitation schedule

The key activity for implementation of rehabilitation is the progressive formation of the final waste emplacement landform. This will include cut and fill of areas to reduce existing slopes to the approved landform and placement of additional waste rock to the approved height. No additional disturbance is proposed, with the entire operational area having previously been disturbed. Opportunities for progressive rehabilitation will be maximised by commencing placement in the northern section of the waste emplacement which requires the smallest volume of material in order to finalise the landform.

Completion of rehabilitation

An application for rehabilitation completion is not expected to be lodged in the next three years.

Subsidence remediation for underground operations

As no underground operations are conducted or are present no subsidence remediation is required.

Progressive mining and rehabilitation statistics

Three-yearly forecast cumulative disturbance and rehabilitation progression

Forecast		UNIT	YEAR 1	YEAR 2	YEAR 3
A1	Total disturbance footprint - surface disturbance	(ha)	16.96	16.96	16.96
B	Total active disturbance	(ha)	16.96	16.96	16.96
P	Total new area of land proposed for active rehabilitation	(ha)	0	0	0

Rehabilitation key performance indicators (KPIs)

	Forecast	UNIT	YEAR 1	YEAR 2	YEAR 3
O	Total new disturbance area during reporting period	(ha)			
P	Total new area of land proposed for rehabilitation during the reporting period	(ha)			
Q	Annual rehabilitation to disturbance ratio				

Attachment 1 - Reporting Definitions

REPORTING CATEGORY		DEFINITION
A	Total disturbance footprint - surface disturbance	All areas within a mining lease that either have at some point in time or continue to pose a rehabilitation liability due to surface disturbance activities. The total disturbance footprint is the sum of the total active disturbance, decommissioning, landform establishment, growth medium development, ecosystem and land use establishment, ecosystem and land use development and rehabilitation completion (see definitions below). Underground mining operations should not include the footprint of underground mining areas/subsidence management areas in the total disturbance footprint.
B	Total active disturbance	Includes on-lease exploration areas, stripped areas ahead of mining, infrastructure areas, water management infrastructure, sewage treatment facilities, topsoil stockpile areas, access tracks and haul roads, active mining areas, waste rock emplacements (active/unshaped/in or out-of-pit), tailings dams (active/unshaped/uncapped) and temporary stabilised areas (e.g. areas sown with temporary cover crops for dust mitigation and temporary rehabilitation).
C	Rehabilitation - land preparation	Includes the sum of all disturbed land within a mining lease that have commenced

REPORTING CATEGORY		DEFINITION
		any, or all, of the following phases of rehabilitation - decommissioning, landform establishment and growth medium development. Refer to the glossary of terms in this document for the definition of these phases of rehabilitation.
D	Ecosystem and land use establishment	Includes the area which has been seeded/planted with the target vegetation species for the intended final land use. However, vegetation has not matured to a stage where it can be demonstrated that it will be sustainable for the long term and or require only a maintenance regime consistent with target reference/analogue sites. Typically, rehabilitation areas would be in this phase for at least two years (and usually more) before rehabilitation can be classified as being in the ecosystem and land use development phase. This phase does not apply to infrastructure areas that are being retained as part of final land use for the site.
O	N/A	The area of any new active disturbance that will be created during the next three years, as defined under definition A1 (definition A1 Table 5).
P	N/A	The sum of any new rehabilitation to be commenced in the next three years. These areas may be in the phases "Rehabilitation - Land Preparation" or the "Ecosystem & Land Use Establishment" (definitions C & D in Table 5).

REPORTING CATEGORY		DEFINITION
Q	N/A	The rehabilitation to disturbance ratio (P:O) indicates how many hectares of new rehabilitation are undertaken for each hectare of land disturbed during the three years. A ratio of 1:1 indicates that the area of new rehabilitation and disturbance in that period are the same.

Attachment 2 - Definitions

WORD	DEFINITION
Active	In the context of rehabilitation, land associated with mining domains is considered 'active' for the period following disturbance until the commencement of rehabilitation.
Active mining phase of rehabilitation	In the context of rehabilitation, the active mining phase of rehabilitation constitutes the rehabilitation activities undertaken during mining operations such as salvaging and managing soil resources, salvaging habitat resources, and native seed collection. This phase also includes management actions taken during operations to manage risks to rehabilitation and enhance rehabilitation outcomes such as selective handling of waste rock and management of tailings emplacements.
Analogue site	In the context of rehabilitation, an analogue site is a 'reference site' that represents an example of the defining characteristics (such as vegetation composition and structure or agricultural productivity) of the final land use. Characteristics of analogue sites can be assessed to develop the rehabilitation objectives and completion criteria for final land use domains.
Annual rehabilitation report and forward program	As described in the Mining Regulation 2016.
Annual reporting period	As defined in the Mining Regulation 2016.

WORD	DEFINITION
Closure	A whole-of-mine-life process, which typically culminates in the relinquishment of the mining lease. It includes decommissioning and rehabilitation to achieve the approved final land use(s).
Decommissioning	The process of removing mining infrastructure and removing contaminants and hazardous materials.
Decommissioning Phase of Rehabilitation	Activities associated with the removal of mining infrastructure and removal and/or remediation of contaminants and hazardous materials. In the context of the rehabilitation management plan this phase of rehabilitation may also include studies and assessments associated with decommissioning and demolition of infrastructure or works carried out to make safe or 'fit for purpose ' built infrastructure to be retained for future use(s) following lease relinquishment.
Department	Department of Primary Industries and Regional Development.
Disturbance	See Surface Disturbance.
Disturbance area	An area that has been disturbed and that requires rehabilitation. This may include areas such as on-licence exploration areas, stripped areas ahead of mining, infrastructure areas, water management infrastructure, sewage treatment facilities, topsoil stockpile areas, access tracks and haul roads, active mining areas, waste emplacements (active/unshaped/in or out-of-pit), tailings dams (active/unshaped/uncapped), and areas requiring rehabilitation that are temporarily stabilised (i.e. managed to minimise dust generation and/or erosion).

WORD	DEFINITION
Domain	An area (or areas) of the land that has been disturbed by mining and has a specific operational use (mining domain) or specific final land use (final land use domain). Land within a domain typically has similar geochemical and/or geophysical characteristics and therefore requires specific rehabilitation activities to achieve the associated final land use.
Ecosystem and Land Use Development	This phase of rehabilitation consists of the activities to manage maturing rehabilitation areas on a trajectory to achieving the approved rehabilitation objectives and completion criteria. For vegetated land uses this phase may include processes to develop characteristics of functional self-sustaining ecosystems, such as nutrient recycling, vegetation flowering and reproduction, and increasing habitat complexity, and development of a productive, self-sustaining soil profile. This phase of rehabilitation may include specific vegetation management strategies and maintenance such as tree thinning, supplementary plantings and weed management.
Ecosystem and Land Use Establishment	This phase of rehabilitation consists of the processes to establish the approved final land use following construction of the final landform. For vegetated land uses this rehabilitation phase includes establishing the desired vegetation community and implementing land management activities such as weed control. This phase of rehabilitation may also include habitat augmentation such as installation of nest boxes.
Exploration	Has the same meaning as that term under the State Environmental Planning Policy (Mining,

WORD	DEFINITION
	Petroleum Production and Extractive Industries) 2007.
Final landform and rehabilitation plan	As defined in the Mining Regulation 2016.
Final land use	As defined in the Mining Regulation 2016.
Form and way	Means the form and way approved by the Secretary. Approved form and way documents are available on the department's website.
Growth Medium Development	This phase of rehabilitation consists of activities required to establish the physical, chemical and biological components of the substrate required to establish the desired vegetation community (including short lived pioneer species. This phase may include spreading the prepared landform with topsoil and/or subsoil and/or soil substitutes, applying soil ameliorants to enhance the physical, chemical and biological characteristics of the growth media, and actions to minimise loss of growth media due to erosion.
Habitat	Has the same meaning as that term under the Biodiversity Conservation Act 2016 and the Fisheries Management Act 1994 (as relevant).
Indicator	An attribute of the biophysical environment (e.g. pH, topsoil depth, biomass) that can be used to approximate the progression of a biophysical process. It can be measured and audited to demonstrate (and track) the progress of an aspect of rehabilitation towards a desired completion

WORD	DEFINITION
	criterion (i.e. defined end point). It may be aligned to an established protocol and used to evaluate changes in a system.
Land	As defined in the Mining Act 1992.
Landform Establishment	This phase of rehabilitation consists of the processes and activities required to construct the final landform. In addition to profiling the surface of rehabilitation areas to the approved final landform profile this phase may include works to construct surface water drainage features, encapsulate problematic materials such as tailings, and prepare a substrate with the desired physical and chemical characteristics (e.g. rock raking or ameliorating sodic materials).
Large mine	As defined in the Mining Regulation 2016.
Lease holder	The holder of a mining lease.
Life of mine	The timeframe of how long a mine is approved to mine, from commencement to closure.
Mine rehabilitation portal	Means the Resources Regulator's online portal that lease holders must use (via a registered account) to:

WORD	DEFINITION
	• upload rehabilitation geographical information system (GIS) spatial data • develop rehabilitation GIS spatial data (using online tracing functions) • generate rehabilitation plans and rehabilitation statistics using the map viewer and Rehabilitation Key Performance Indicator functionalities. Data submitted to the mine rehabilitation portal is collated in a centralised geodatabase for use by the Resources Regulator to regulate rehabilitation performance of lease holders.
Mining area	As defined in the Mining Act 1992.
Mining domain	A land management unit with a discrete operational function (e.g. overburden emplacement), and therefore similar geophysical characteristics, that will require specific rehabilitation treatments to achieve the final land use(s).
Mining land	As defined in the Mining Act 1992.
Native vegetation	Has the same meaning as that term under section 60B of the Local Land Services Act 2013.
Overburden	Material overlying coal or a mineral deposit.
Performance indicator	An attribute of the biophysical environment (for example pH, slope, topsoil depth, biomass) that can be used to demonstrate achievement of a rehabilitation objective. It can be measured and audited to

WORD	DEFINITION
	demonstrate (and track) the progress of an aspect of rehabilitation towards a desired completion criterion, that is, a defined end point. It may be aligned to an established protocol and used to evaluate changes in a system.
Phases of rehabilitation	The stages and sequences of actions required to rehabilitate disturbed land to achieve the final land use. The phases of rehabilitation are: • active mining • decommissioning • landform Establishment • growth medium development • landform Establishment • ecosystem and land use establishment • ecosystem and land use development
Progressive rehabilitation	The progress of rehabilitation towards achieving the approved rehabilitation completion criteria. This may be described in terms of domains, phases, performance indicators and rehabilitation completion criteria.
Rehabilitation Completion	The final phase of rehabilitation when a rehabilitation area has achieved the approved rehabilitation objectives and rehabilitation completion criteria for the final land use. Rehabilitation areas may be classified as complete when the Resources Regulator has determined in writing that the relevant

WORD	DEFINITION
	rehabilitation obligations have been fulfilled following submission of <i>Form ESF2 Rehabilitation completion and/or review of rehabilitation cost estimate application</i> by the lease holder.
Rehabilitation Completion criteria	As defined in the Mining Regulation 2016.
Rehabilitation cost estimate	As defined in the Mining Regulation 2016.
Rehabilitation management plan	As defined in the Mining Regulation 2016.
Rehabilitation objectives	As defined in the Mining Regulation 2016.
Rehabilitation risk assessment	As defined in the Mining Regulation 2016.
Rehabilitation schedule	The defined timeframes for progressive rehabilitation set out in the forward program.
Relevant stakeholders	Means any persons or bodies who may be affected by the mining operations, including rehabilitation, carried out on the lease land, and includes: • the relevant development consent authority • the local council • the relevant landholder(s) • community consultative committee (if required under the development consent) or equivalent

WORD	DEFINITION
	consultative group • affected land holder(s) • government agencies relevant to the final land use • affected infrastructure authorities (electricity, telecommunications, water, pipeline, road, rail authorities) • local Aboriginal communities, and • any other person or body determined by the Minister to be a relevant stakeholder in relation to a mining lease.
Risk	The effect of uncertainty on objectives. It is measured in terms of consequences and likelihood (AS/NZS ISO 31000:2009).
Secretary	The Secretary of the department.
Security deposit	An amount that a mining lease holder is required to provide and maintain under a mining lease condition, to secure funding for the fulfilment of obligations under the lease (including obligations that may arise in the future).
Surface disturbance	Includes activities that disturb the surface of the mining area, including mining operations, ancillary mining activities and exploration.

WORD	DEFINITION
Tailings	A combination of the fine-grained solid material remaining after the recoverable metals and minerals have been extracted from the mined ore, and any process water ² .
Waste	Has the same meaning as that term under the <i>Protection of the Environment Operations Act 1997</i> .

²Commonwealth of Australia (DITR), 2007. Tailings Management.

Attachment 3 - Plans

Plan 2A.pdf

Plan 2B.pdf

Plan 2C.pdf

Rehabilitation Cost Estimate Tool - Mining New South Wales
Australian Magnetite Mines Pty Ltd - Broula Magnetite and Limestone Mine

RCE Summary

SITE REGISTRATION

Complete the following fields prior to calculating the Security Deposit.


Date of Estimate	22-May-26	Mine Name	Broula Magnetite and Limestone Mine
Lease(s):	ML1616		
Lease Holder(s):	Australian Magnetite Mines Pty Ltd		
Term of RCE:	30-Mar-27	This is period of time over which the RCE amount will apply.	
Date of last Security Deposit Review:	26-May-25	This is the date of the most recent correspondence from the Department advising of the assessed deposit amount.	
Amount of the last Security Deposit Review:	\$ 664,903.00	This is the most recent assessed deposit amount as per the most recent correspondence from the Department (see above).	
Current Security Deposit held by the Department:		This is the current security deposit amount held by the Department.	
List key changes since previous submission:	First application of new RCE Tool. Areas / assumptions / alternative rates have been applied as far as practicable based on previously approved RCE where relevant.		

COST SUMMARY

Mining Domain Type		Cost	Comments
Infrastructure Area		\$ 28,759	
Infrastructure - Mine Entries		\$ -	
Beneficiation Facility		\$ -	
Tailings Storage Facilities		\$ -	
Water Management Area		\$ 55,991	
Overburden Emplacement Area		\$ 275,301	
Active Mining Area (Open Cut Void)		\$ 52,706	
Underground Mining Areas		\$ -	
Exploration		\$ -	
Sub-total		\$ 412,758	
Additional Items		Cost	
Other and Sundry		\$ 60,688	
Sub-total		\$ 60,688	
Totals			
Subtotal - all except Exploration		\$ 473,446	
Subtotal - Exploration		\$ -	
Subtotal - all		\$ 473,446	
Contingency (Mining)	30%	\$ 142,034	Enter reason here if contingency greater than default is entered
Contingency (Exploration only)	15%	\$ -	Enter reason here if contingency greater than default is entered
Contingency Total		\$ 142,034	
Grand Total (excluding GST)		\$ 615,479	

Contingency for mining activities ok
Contingency for exploration activities ok

Plan 2A - MINING AND REHABILITATION - YEAR 1



1: 10,692



543.2 0 271.58 543.2 Meters

WGS_1984_Web_Mercator_Auxiliary_Sphere
© DRE

This map is a user generated static output from an Internet mapping site and is for reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

THIS MAP IS NOT TO BE USED FOR NAVIGATION




Legend

Forecast Data Year1

-  Forecast Disturbance
-  Forecast Land Prepared for Rehabi
-  Ecosystem and Land Use Establish
-  Project Approval Boundary

Notes

Plan 2B - MINING AND REHABILITATION - YEAR 2



1: 10,692



543.2 0 271.58 543.2 Meters

WGS_1984_Web_Mercator_Auxiliary_Sphere
© DRE

This map is a user generated static output from an Internet mapping site and is for reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

THIS MAP IS NOT TO BE USED FOR NAVIGATION




Legend

Forecast Data Year2

-  Forecast Disturbance
-  Forecast Land Prepared for Rehabi
-  Ecosystem and Land Use Establish
-  Project Approval Boundary

Notes

Plan 2C - MINING AND REHABILITATION - YEAR 3



1: 10,692



543.2 0 271.58 543.2 Meters

WGS_1984_Web_Mercator_Auxiliary_Sphere
© DRE

This map is a user generated static output from an Internet mapping site and is for reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

THIS MAP IS NOT TO BE USED FOR NAVIGATION



Legend

Forecast Data Year3

-  Forecast Disturbance
-  Forecast Land Prepared for Rehabi
-  Ecosystem and Land Use Establish
-  Project Approval Boundary

Notes